

Page 1/10

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/08/2020

Reviewed on 09/14/2020

### 1 Identification

- · Product identifier
- · Product name: CS-21 @ 100 µg/g in 75 cSt Hydrocarbon Oil
- Part number: CS-21-100-200G
- · Application of the substance / the mixture Reference material for laboratory use only
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: AMETEK Spectro Scientific 1 Executive Dr. Chelmsford, MA 01824-2563 UNITED STATES OF AMERICA

*Tel:* +1 (978)486-0123 *Fax:* +1 (978)486-0030

CHEMTREC US & Canada- 800-424-9300;

· Information department: eMail: service.spectrosci@ametek.com

International +1 703-741-5970 CHEMTREC A/C 619107

• Emergency telephone number:

Emergency Contact:

### 2 Hazard(s) identification

· Classification of the substance or mixture

GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

· GHS label elements

*The product is classified and labeled according to the Globally Harmonized System (GHS).* • *Hazard pictograms* 



· Signal word Danger

• Hazard-determining components of labeling: White mineral oil, petroleum Organo Nickel Compound

(Contd. on page 2)

US



Page 2/10

## Safety Data Sheet

### acc. to OSHA HCS

Printing date 10/08/2020

Reviewed on 09/14/2020

### Product name: CS-21 @ 100 µg/g in 75 cSt Hydrocarbon Oil



#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Also contains substances at levels not considered to be hazardous.

 • Dangerous components:
 CAS: 8042-47-5
 White mineral oil, petroleum
 >95%

 RTECS: PY8047000
 Asp. Tox. 1, H304

 RTECS: Organo Nickel Compound
 <0.1%</td>

 STOT RE 1, H372; Aquatic Acute 1, H400; Aquatic Chronic 1, H410;
 \$0.1%

### 4 First-aid measures

#### · Description of first aid measures

- After inhalation:
- Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

US



Page 3/10

## **Safety Data Sheet**

### acc. to OSHA HCS

Printing date 10/08/2020

Reviewed on 09/14/2020

(Contd. of page 2)

## Product name: CS-21 @ 100 µg/g in 75 cSt Hydrocarbon Oil

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing:
- Rinse mouth. Do not induce vomiting.
- Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

#### 7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4) US



Page 4/10

(Contd. of page 3)

## Safety Data Sheet

### acc. to OSHA HCS

Printing date 10/08/2020

Reviewed on 09/14/2020

Product name: CS-21 @ 100 µg/g in 75 cSt Hydrocarbon Oil

Store in cool, dry place in tightly closed receptacles. Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Please refer to the manufacturers certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep container in a well-ventilated place. Keep away from sources of ignition and heat.

• Information about storage in one common storage facility: Store away from foodstuffs.

- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- *Additional information:* The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

· Material of gloves Nitrile rubber, NBR

(Contd. on page 5)



Safety Data Sheet acc. to OSHA HCS

Printing date 10/08/2020

Reviewed on 09/14/2020

Product name: CS-21 @ 100 µg/g in 75 cSt Hydrocarbon Oil

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

### 9 Physical and chemical properties

Information on basic physical and General Information	r · · · · · · · · · · · · · · · · · · ·	
Appearance:		
Form:	Oily	
Color:	Brown	
Odor:	Mineral-oil-like	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Not determined.	
	Not determined.	
Boiling point/Boiling range:	218 °C (424.4 °F)	
Flash point:	115 °C (239 °F)	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:	Not determined	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	0.862 g/cm <sup>3</sup> (7.19339 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	

Page 5/10

(Contd. of page 4)



Page 6/10

## Safety Data Sheet

#### acc. to OSHA HCS

Printing date 10/08/2020

Reviewed on 09/14/2020

(Contd. of page 5)

## Product name: CS-21 @ 100 µg/g in 75 cSt Hydrocarbon Oil

· Other information

No further relevant information available.

#### 10 Stability and reactivity

#### · Reactivity

- Stable under normal conditions.
- No further relevant information available.
- · Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided:
- Formation of toxic gases is possible during heating or in case of fire.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat.
- · Incompatible materials: Strong oxidizing agents.
- · Hazardous decomposition products: Formation of toxic gases is possible during heating or in case of fire.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 8042-47-5 White mineral oil, petroleum

*Oral LD50* >5,000 mg/kg (rat)

- · Primary irritant effect:
- on the skin:
- No irritant effect.
- Based on available data, the classification criteria are not met.
- on the eye:
- No irritating effect.
- Based on available data, the classification criteria are not met.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:
  - The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
Organo Chromium Compound	3
Organo Cadmium Compound	1
Organo Nickel Compound	1
Organo Lead Compound	2B
· NTP (National Toxicology Program)	
Organo Lead Compound	R
	(Contd. on page 7)



Page 7/10

## Safety Data Sheet

#### acc. to OSHA HCS

Printing date 10/08/2020

Reviewed on 09/14/2020

(Contd. of page 6)

## Product name: CS-21 @ 100 µg/g in 75 cSt Hydrocarbon Oil

· OSHA-Ca (Occupational Safety & Health Administration)

Organo Cadmium Compound

#### 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

## • Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Dispose in accordance with national regulations.

UN-Number		
DOT, ADR, IMDG, IATA	Not applicable	
DOT, ADR, IMDG, IATA	Not applicable	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Not applicable	
Packing group		
DOT, ADR, ÎMDG, IATA	Not applicable	
Environmental hazards:	Not applicable.	



Page 8/10

## Safety Data Sheet

acc. to OSHA HCS

Not applicable.

Printing date 10/08/2020

Reviewed on 09/14/2020

Product name: CS-21 @ 100 µg/g in 75 cSt Hydrocarbon Oil

(Contd. of page 7)

• Special precautions for user

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

MARPOL73/78 and the IBC CodeNot applicable.· UN ''Model Regulation'':Not applicable

## 15 Regulatory information

Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
Organo Silver Compound	
Organo Aluminium Compound	
Organo Chromium Compound	
Organo Cadmium Compound	
Organo Copper Compound	
Organo Lead Compound	
Organo Vanadium Compound	
Organo Zinc Compund	
· TSCA (Toxic Substances Control Act):	
CAS: 8042-47-5 White mineral oil, petroleum	ACTIV
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
Organo Cadmium Compound	
Organo Lead Compound	
Chemicals known to cause reproductive toxicity for females:	
Organo Lead Compound	
Chemicals known to cause reproductive toxicity for males:	
Organo Lead Compound	
Chemicals known to cause developmental toxicity:	
Organo Lead Compound	
Carcinogenic categories	
· EPA (Environmental Protection Agency)	
Organo Silver Compound	D



Page 9/10

## Safety Data Sheet

acc. to OSHA HCS

Printing date 10/08/2020

Reviewed on 09/14/2020

## Product name: CS-21 @ 100 µg/g in 75 cSt Hydrocarbon Oil

	(Contd. of page 8)
Organo Boron Compound	Ĩ
Organo Chromium Compound	D
Organo Copper Compound	D
Organo Lead Compound	B2
Organo Zinc Compund	II
· TLV (Threshold Limit Value established by ACGIH)	
Organo Aluminium Compound	A4
Organo Chromium Compound	A4
Organo Molybdenum Compound	A3
Organo Lead Compound	A3
·NIOSH-Ca (National Institute for Occupational Safety and Health)	

Organo Cadmium Compound

· Hazard pictograms



· Signal word Danger

· Hazard-de	termining components of labeling:
White mine	ral oil, petroleum
Organo Ni	ckel Compound
· Hazard sta	tements
H317 May	cause an allergic skin reaction.
H304 May	be fatal if swallowed and enters airways.
· Precaution	ary statements
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P280	Wear protective gloves.
P301+P31	0 If swallowed: Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international

regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

The information in this Safety Data Sheet meets the requirements of the United States OCCUPATIONAL SAFETY AND HEALTH ACT and regulations promulgated thereunder (29 CFR 1910.1200 et. seq.) This document is intended only as a guide to the appropriate precautionary handling of the material by a person trained in, or supervised by a person trained in, chemical handling. The user is responsible for determining the application. Depending on usage, protective clothing including eye and face guards and respirators must be used to avoid contact with material or breathing chemical vapors/fumes. Exposure to this product may have serious adverse health effects. This chemical may interact with other substances. Since the potential uses are so varied, we cannot warn of all of the potential dangers of use or interaction with other chemicals or



Page 10/10

# Safety Data Sheet

acc. to OSHA HCS

*Printing date 10/08/2020* 

Reviewed on 09/14/2020

## Product name: CS-21 @ 100 µg/g in 75 cSt Hydrocarbon Oil

(Contd. of page 9)

materials. We warrant that the chemical meets the specifications set forth on the label. We (AMETEK - Spectro Scientific) disclaim any other warranties, expressed or implied with regard to the product supplied hereunder, its merchantability or its fitness for a particular purpose. The user should recognize that this product can cause severe injury and even death, especially if improperly handled or the known dangers of use are not heeded. Read all precautionary information.

· Date of preparation / last revision 10/08/2020 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Muta. 2: Germ cell mutagenicity - Category 2 Carc. 1A: Carcinogenicity - Category 1A Repr. 1B: Reproductive toxicity - Category 1B STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Sources Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

· Data compared to the previous version altered. All sections have been updated.